

Speed Post

DGT-Aff011(51)/2/2020-O/o Dir (TC)
Government of India
Ministry of Skill Development and Entrepreneurship
Directorate General of Training

Employment Exchange Building,
1st floor, Pusa, New Delhi,
Dated: 15th January, 2021

To


The State Directors,
(Uttar Pradesh, west Bengal, Tamil Nadu,)

Subject: Affiliation of Units/Trades of Govt./Pvt. Industrial Training Institute with NCVT-regarding.

Sir,


As decided in the 18th Meeting of Recommendation Committee DGT held on 23rd December 2020, affiliation will be granted only for units in shift 1&2, as running the ITI in 3rd shift is not feasible in light of COVID-19 for maintaining Social Distancing and transport facilities after 3rd shift concern further, committee recommended trades/units in to DGT for session 2020-21.

2. The Committee examined affiliation proposals and accorded approval for the proposals conforming to the DGT Norms as per the list enclosed herewith.
3. The affiliation of the trades/units stated above are further subjected to,
 - (i) Periodic verification.
 - (ii) The ITI must comply with DGT norms/guidelines issued from time to time.
 - (iii) ITI must display the newly released logo of ITI on the Display Board at the main gate.
4. The said information is also available under "News & Updates" on NCVT MIS Portal at <https://ncvtmis.gov.in>.
5. Discrepancies if any in the affiliation orders, same may be intimated to undersigned within 15 days after the date of issue of order.

Yours faithfully

(Sunil Kumar Gupta)
Director of Training

Copy along with enclosures for information to:

1. Sr PPS to Chairman of Recommendation Committee-DGT.
2. Sr PPS to DDG (Affiliation).
3. NCVT MIS Portal In charge, DGT Hqr. New Delhi, with request to upload these orders on NCVT MIS Portal.


(R. Murugarajan)
Deputy Director of Training



STATE: West Bengal

Meeting Dated: 23/12/2020

Total - 05, (New-03, Old-02)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Govt. ITI Dasburg - II Running Under PTP Joteghanshyam Shyamgam, West Medinipur - 721153, West Bengal		New	Fitter	6(2+2+2)	6(2+2+2)	4(2+2)	Recommended
				Electrician	6(2+2+2)	6(2+2+2)	4(2+2)	
				Welder	3(1+1+1)	3(1+1+1)	2(1+1)	
				COPA	3(1+1+1)	3(1+1+1)	2(1+1)	
2.	Moyna Private ITI, Brindabanchak, Srikantha, Moyna Mednipur East, West Bengal - 721629		New	Fitter	3(1+1+1)	3(1+1+1)	2(1+1)	Recommended
				Electrician	3(1+1+1)	3(1+1+1)	2(1+1)	
				Health Sanitary Inspection	3(1+1+1)	3(1+1+1)	2(1+1)	
				Early Childhood Educator	3(1+1+1)	3(1+1+1)	2(1+1)	
3.	Sister Nivedita Private ITI, Nadia Private Industrial Training Institute, Nadia Vill- Bejpara, Po- Gachha, Ps- Nakashipara, Dist- Nadia, Pin- 741154, West Bengal		New	Electrician	6(2+2+2)	6(2+2+2)	4(2+2)	Recommended
				Fitter	6(2+2+2)	6(2+2+2)	4(2+2)	
				Electronics Mechanic	3(1+1+1)	3(1+1+1)	2(1+1)	
				Welder	3(1+1+1)	3(1+1+1)	2(1+1)	

Sanika

-1-

Pranay Kumar



STATE: West Bengal

Meeting Dated: 23/12/2020

Total - 05, (New-03, Old-02)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
4.	Govt ITI, Pilkhana Road, P.O.+ Dist.- Cooch Behar - 736101, West Bengal	GR19000014	Old	Bamboo Works	2(1+1)	2(1+1)	2(1+1)	Recommended
5.	Government ITI Siliguri Road, P.O. - Ektiasal, Darjeeling, 734401, West Bengal	GR19000025	Old	Solar Technician (Electrical) Lift and Escalator Mechanic	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	Recommended

Sunil Kumar

[Signature]



STATE: Tamil Nadu

Meeting Dated: 23/12/2020

Total - 01, (New-00, Old-01)

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Government ITI, Trichy Thanjai Main Raod, Thiruverambur, Tiruchirappalli Tamil Nadu - 620014	GR33000046	Old	Mechanic Diesel	1(1+0+0)	1(1+0+0)	1(1+0)	Recommended

Sunil

Ramkrishna



STATE: Tamil Nadu
Total - 01, (New-01, Old-00)

Meeting Dated: 23/12/2020

Spare Capacity of Polytechnics

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Venkateshwara Pvt ITI, Sri Venkateshwara Polytechnic College, Parasur, Cheyyar Talkua, Dist. Thiruannamalai Tamil Nadu		New	Electrician	2(1+1)	NR	NR	Not Recommended 1. Time table for polytechnic with Parallel section of ITI, As the full-time polytechnic running, same laboratory for both Polytechnic and ITI which cannot give the effective training without proper Time table. 2. Machinery Bills and Payment receipt and Transaction details not available. 3. NOC certificate from AICTE for conducting NCVT courses in this polytechnic. 4. In the application from they mentioned about faculty Strength is found as Wrong. No separate faculties recruited 5.Shortage of Electrical power.
				Fitter	2(1+1)	NR	NR	
				Mechanic Motor Vehicle	2(1+1)	NR	NR	
				Mechanic Refri. & A.C.	2(1+1)	NR	NR	
				Surveyor	2(1+1)	NR	NR	
				Wireman	2(1+1)	NR	NR	
				Welder	2(1+1)	NR	NR	

Signature

Signature



STATE: Uttar Pradesh
Total - 10, (New-5, Old-05)

Meeting Dated: 23/12/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
1.	Babu Ramjeet Singh Sengar Pvt. ITI, Jewainiya, Pradhanpur, Ballia - Uttar Pradesh		New	Electrician Fitter Plumber COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR NR NR NR	NR NR NR NR	Deferred State Director to check all land records, Electricity bills computer bills and also to verify whether any other educational institute runs at the site from State education MIS of the Sate.
2.	Lalmuni Chandrabhan Pvt. ITI, Govindpur Dugauli, Ballia, Uttar Pradesh		New	Electrician Fitter Health & Sanitary Inspector Hospital Housekeeping	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR NR NR NR	NR NR NR NR	Deferred State Director to check all land records, Electricity bills computer bills and also to verify whether any other educational institute runs at the site from State education MIS of the Sate.
3.	Maharishi Baba GeladasMA Chandramuni Pvt ITI, Shahmohammad pur, Chandeawar, Rasea Ballia - 221712, Uttar Pradesh		New	Electrician Fitter Plumber COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR NR NR NR	NR NR NR NR	Deferred State Director to check all land records, Electricity bills and also to verify whether any other educational institute runs at the site through various MIS.

Sumit

Shankar



STATE: Uttar Pradesh
Total - 10, (New-5, Old-05)

Meeting Dated: 23/12/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
4.	Shekhar Private ITI, Sammopur, Gopalpur, Tehsil- Sadar Azamgarh 276001, Uttar Pradesh		New	Electrician Fitter Plumber COPA	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR NR NR NR	NR NR NR NR	Not Recommended 1. Shekhar ITI Staff was Not Available for Inspection. 2. Containment Zone banner was forged & area was not under containment Zone. 3. A Bed 4 Diploma in Elementary education run with the name of Shear sSocial Manila College & Education Foundation
5.	Shri Raj Kumar Singh College of Private ITI, Villa- Bhawanipur, Karhal, Dist.- Mainpuri, U.P.-205268		New	Electrician Fitter COPA Health & Sanitary Inspector	6(2+2+2) 6(2+2+2) 3(1+1+1) 3(1+1+1)	NR NR NR NR	NR NR NR NR	Deferred State Director to check all land records, Electricity bills and also to verify whether any other educational institute runs at the site through various MIS
6	Maa Madhuri Private ITI, Vill. Pindahara, Post - Bansdih, Ballia -277202, Uttar Pradesh	PR09900243	old	Fitter Electrician	3(1+1+1) 1(0+0+1)	NR NR	NR NR	Not Recommended State Director and will be debarred as per DGT norms.

Sumit

Anurag



STATE: Uttar Pradesh
Total - 10, (New-5, Old-05)

Meeting Dated: 23/12/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/New	Trade for which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
7	Maa Ananadmai Private ITI, Jajmau Railway Station, Saiya, Agra - 283124, Uttar Pradesh	PR09001764	Old	Electrician Fitter Food Production Sewing Technology House Keeping Tourist Guide	3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1) 3(1+1+1)	NR NR NR NR NR NR	NR NR NR NR NR NR	Not Recommended. As not recommended by State Director due to Classrooms not available for Additional Electrician. Food production Sewing Tech. Housekeeping & Tourist Guide and ITI has old equipment. ITI is more than 5 years and no trade is recommended; ITI should apply with minimum 4 Trades by 2021.
8	Baba Bhirigu Private ITI Vill/Post-Paliya Tehsil-Muhammdabad Gohana, Mau, U.P.- 276403	PR09900572	Old	Electrician	6(2+2+2)	6(2+2+2)	4(2+2)	Recommended ITI shall apply for one more trade by 2021 to comply with minimum 4 trade norms.
9	Smt. Dharamwati Bhedjeet Singh Pvt. ITI, Vill/Po-Barauli, Mahavan Block Baldev, Mathura, U.P.- 281301	PR09002107	Old	Electrician	12(4+4+4)	12(4+4+4)	8(4+4)	Recommended ITI shall apply with minimum 4 trades by 2021

[Handwritten Signature]

[Handwritten Signature]



STATE: Uttar Pradesh
Total - 10, (New-5, Old-05)

Meeting Dated: 23/12/2020

Sl. no.	Name of Institute with address	NCVT/MIS Code	Old/ New	Trade which affiliation sought	Units for which affiliation sought / recommended by			Remarks
					Institute Apply for	Trade/ Units Recommended by SCI/State	Trade/units Approved by DGT Recommendation Committee	
10	G City Private ITI C-51, Natwar Nagar, Dhauri Pyau, Mathura Uttar Pradesh - 281001	PR09900674	old	Electrician Health Sanitary Inspector	9(3+3+3) 6(2+2+2)	9(3+3+3) 6(2+2+2)	6(3+3) 4(2+2)	Recommended ITI shall apply with minimum 4 trades by 2021.